

CASELINER[®]

MOTORSPORT PIT EQUIPMENT





-- Motorsport. Simple word. --

INNOVATION

The future is out there in front of us, but at Caseliner is also inside of us. We can feel what will come and we are working with greater power and efficiency with more ideas for you.

DESIGN

Our harmony of design concept is achieved in perfection when our unique clean design follows the function.

FUNCTIONALITY

We at Caseliner know, that the form follows the function. We work during your every day's routine in garage, important testing days but what is the most important: during the race when every split second counts.

PERFORMANCE

We produce motorsport products for reasonable costs, with higher than known general standards with all aspects of quick delivery.

EVERYDAY USE

All our products are designed and produced for everyday usability. Whatever the weather or any other conditions. Our products are made to be proof, day by day.

EXCLUSIVENESS

Using of unique way how our products are working in every detail and with expression of freedom and attitude to racing life. Realization of simple dream.

SOCIAL ACCEPTANCE

Our brand is friendly and it is very important for us to be wide anchored in society.

CASELINER

motorsport pit
equipment producer

Motorsport is our passion and pure fascination. Find what Caseliner products and motorsport teams can find and experience at the sporttracks everyday. Our story is coming direct from the race track.

Our principle is simple, always get the most out of everything we do and produce. Just from the beginning we have decided to translate our passion into the endurance products and success to the teams. Our principle is born on the race track and you can find him in every single one of our products.

FLIGHT CASES

rock and roll lives on

Our goal is to produce high quality transport cases with long lifetime, high torsional rigidity and modern design. All the boxes are made to measurement according to your request at professional level, as it is our standard. We can recommend all our flight cases for many purposes in catering, flight cases for driver equipment (helmets, dryers, radios), tools and equipment (weights, geometry, lasers, turntable) etc. We can prepare the cost estimate on your demand for tailored boxes any specifications according to your request.



UNICASE PRO

0010111000-1-2

This flight case has a full opened upper lid, the space inside can be divided by shift partitions or empty. You can choose Please choice your accessories - 100mm, inner modular panels, rubber feet or color design.

- type 60 / 600x600x600 mm / 23,62"x23,62"x23,62"
- type 90 / 900x600x600 mm / 35,43"x23,62"x23,62"
- type 120 / 1200x600x600 mm / 47,24"x23,62"x23,62"
- 9 mm / 0,35" standard black plywood / colors on demand



TOOLBOX

0010211002

Is a special transport flight case for tools and spare parts, including one upper modular drawer.

- 600x600x950 mm / 23,62"x23,62"x37,40"
- 9 mm / 0,35" standard black plywood / colors on demand
- 5x drawers (1x modular)



TOOLBOX DOUBLE

0010211004

Is a special transport flight case for tools and spare parts, consists of two cases and working plate with measurements 2000x550 mm / 78,74"x21,65", creating a working bench

- work plate 2000x550 mm / 78,74"x21,65"
- as the same as the specifications TOOLBOX CLASSIC



TOOLBOX MINI

0010211001

Is a special transport flight case for personal tool equipment, the flight case include 2x upper counters are modular. Recommended for rally mechanics.

- 500x370x200 mm / 19,68"x14,56"x7,87"
- 9 mm / 0,35" standard black plywood / colors on demand
- holder for tools

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

FLIGHT CASES

rock and roll lives on

Our goal is to produce high quality transport cases with long lifetime, high torsional rigidity and modern design. All the boxes are made to measurement according to your request at professional level, as it is our standard. We can recommend all our flight cases for many purposes in catering, flight cases for driver equipment (helmets, dryers, radios), tools and equipment (weights, geometry, lasers, turntable) etc. We can prepare the cost estimate on your demand for tailored boxes any specifications according to your request.



TOOLBOX BIGGER

0010211005

Is a special transport flight case for tools and spare parts, this flight case is including 8 PVC boxes and 4 x drawers - 2 x upper are modular.

- 1200x600x1080 mm / 47,24"x23,62"x42,51"
- 9 mm / 0,35" standard black plywood / colors on demand
- 5x drawers (1x modular)
- 8x PVC boxes



TOOLBOX MAXI

0010211010

Is a special bigger transport flight case for tools and spare parts, this flight case is including 8 + 4 PVC boxes.

- 1800x850x1010 mm / 70,86"x33,46"x43,30"
- 9 mm / 0,35" standart black plywood / colors on demand
- 8x PVC boxes



PC-TELEMETRY CASE

0010211006

PC / TELEMETRY is suitable various purposes. Very popular flight case for use in garages for drivers and engineers. (TV/LED monitors on demand)

- 1200x600x850 mm (1000 mm / 39,37" with wheels) / 47,24"x23,62"x33,46"
- 9 mm / 0,35" standard black plywood / colors on demand
- 3x inner drawers for notebooks, printers, etc...
- 2x drawers



TROLLEYS & WHEEL BATHS

for ultimate care



TYRE TROLLEY PRO160

0020321002

High quality trolley made from stainless steel for transport and storage of tyres. Optional towing bracket and attachment are available. We offer model PRO140 with 1300 mm internal width.

- wheels 160 mm / 6,29" / 1984,16 lb/ max. speed 20 km/h
- outer height 1500 mm / 59,05"
- outer depth 650 mm / 25,59"
- horizontal beams 1300 or 1500 mm inner / 51,18" or 59,05"



BOTTLE TROLLEY DOUBLE

0020521002

For two pressure bottles 15 or 18l, (3,96 to 4,75 gal) diam. 186 to 204 mm. Safety valve bar and holder for gun or air lance are optional.



BOTTLE TROLLEY DINO

0020521004

For pressure bottles diam. 186 to 204 mm with holder for DINO PAOLI air regulator. Safety valve bar and holder for gun or air lance are optional.

BOTTLE TROLLEY DOUBLE DINO

0020521008

For two pressure bottles 15 or 18l, (3,96 to 4,75 gal) diam. 186 to 204 mm with holder for two DINO PAOLI air regulators. Safety valve bar and holder for gun or air lance are optional.

BOTTLE TROLLEY SINGLE

0020521001

For pressure bottles 15 or 18l, (3,96 to 4,75 gal) diam. 186 to 204 mm. Safety valve bar and holder for gun or air lance are optional.

TYRE TROLLEY HEATING

0020121003

Folding trolley made from stainless steel designed to heat the tyres with warm up quilts. Folding frame with quick release



TYRE TROLLEY FORMULA

0020121001

High quality trolley made from stainless steel for transport of tyres. Folding plate.



Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

TROLLEYS & WHEEL BATHS

for ultimate care



BOTTLE TROLLEY DINO

0020521004

For pressure bottles diam. 186 to 204 mm with holder for DINO PAOLI air regulator. Safety valve bar and holder for gun or air lance are optional.

BOTTLE TROLLEY DOUBLE

0020521002

For two pressure bottles 15 or 18 l, (3,96 to 4,75 gal) diam. 186 to 204 mm. Safety valve bar and holder for gun or air lance are optional.

Accessories:

- holders guns
- holders air lance
- safety barriers / valve - ACO regulations



AIR BOTTLE 15/18L

0020731115 + 0020731118

Pressure air bottles 15 or 18 l / 230 bar, (3,96 to 4,75 gal) diam. 204 mm. Incl. valve and pedestal.



TYRE BOARD-DOLLY

0020411001

Special plate for stocking wheels and tyres.



MECHANICS CHAIR

0020721000

Stainless steel mechanic's chair with 4 wheels and tools area.



WHEEL BATH SINGLE

0030121001

Essential product for cleaning and preparation of the tyres. It is fitted with two pairs of bearing rollers for easy rotation of the wheel during the cleaning. Material stainless steel, removable legs, one adjustable leg, two adjustable rotary roller.



WHEEL BATH DOUBLE

0030121002

Essential product for cleaning and preparation of the tyres. It is fitted with two pairs of bearing rollers for easy rotation of the wheel during the cleaning. Material stainless steel, removable legs, one adjustable leg, four adjustable rotary roller.



TYRE HEATER RACKS

for best grip



TYRE HEATER RACK

0040121001



Designed for the endurance racing, tyre heater rack can pre-heat up to three sets of tyres. The frame is constructed in two sections from stainless steel. The warm is kept within the rack by a strong PVC silver/thermo AIRTEX awning, which can be unzipped in two individual sections. Transport flight case is optional.

- full demountable
- 2000 mm width (78,74")
- 2000 mm high (78,74")
- 1000 mm depth (39,37")



HEATER B70CED

0040121002

Extremely easy portable heater. Transport flight case for the heater Master is optional.

- 230 / 50 / HZ
- 20 kw power
- fuel ELTO / Diesel
- consumption 1,7 kg / h



TYRE HEATER RACK ENDU2

0040121022



Special warm box designed for heating of tyres during the endurance races. Easy to assemble by aluminium construction with a textile covering AIRTEX and internal thermal material that keeps heat well. Four chambers, independently heated with a mechanical controlled temperature level. Two zippered section for access to the tires with a small inspect window to control and measure the actual temperature. Transport flight case is optional, for all parts, incl. heater Master.

- full demountable
- 1920 mm width (75,59")
- 1900 mm high (75,59")
- 980 mm depth (38,58")



FLIGHT CASE MASTER B70 / B100

0040111001

0040111001

Special flight case for MASTER "70" serie heating, 4 wheels

TYRE HEATER RACK ENDU4

0040121003



Special warm box designed for heating of tyres during the endurance races. Easy to assemble by aluminium construction with a textile covering AIRTEX and internal thermal material that keeps heat well. Four chambers, independently heated with a mechanical controlled temperature level. Four zippered section for access to the tires with a small inspect window to control and measure the actual temperature. Transport flight case is optional, for all parts, incl. heater Master.

- full demountable
- 3800 mm width (149,60")
- 1900 mm high (75,59")
- 980 mm depth (38,58")

GARAGE

I always wanted garage like this



WALLING SET 210-5

0100231001

Is an aluminum profile system, suitable for creating screens inside of the boxes, stalls and presentation modules. Easy connection using locks, variability and time-saving assembly - these are the main advantages of this system.


- one set / 2100x990 mm / 82,67"x38,97"
- white panel, 4 mm / 0,15"



WALLING CASE 50/210

0100221005

We offer also special WALLING FLIGHT CASE for 50 sets of frames and panels 2100x990mm (82,67" x 38,97").



RACEFLOOR

0090141001

RACEFLOOR, the flooring for all your racing needs. The tiles are easy to install due to an ingenious snap-in system. They have been developed to be used on any flat base, indoor-or outdoor use. UV-stable.

- size 40x40x1,8 cm / 15,74"x15,74"x0,7"
- weight 552 gram / 1,21 lb
- compressive strength 5120 psi
- 14 colors



POWERHOOD S200


0120111001



Special POWERHOOD S200 is made for lighting in the race boxes, lighting over the race car, motorbike or at the workshops. Light construction, high luminosity together with a essential use and elegance.

- 2000x1000x140 mm / 78,74"x39,37"x5,51"
- luminosity 20000 lm
- regulation of luminosity 35%, 65% or 100%
- 88-132 V or 176-264 V selected by switch
- 4x corner sockets following national specification

Can be equipped with air distribution, Ethernet distribution following customer request and specifications. We also supply flight case for one or two powerhoods.



GANTRIES

System is available in three versions BI-SYSTEM, TRI-SYSTEM and QUATTRO-SYSTEM, 50mm diameter of tubes. Couplings, CELLS, are the auxiliary parts used for hanging of any equipment.

- material: alloy EN - AW 6068 T6
- quick lock connection
- color: natural aluminium silver
- 290mm high basic profile (BI-SYSTEM)

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

SEAMLESS WALLING

irresistible beauty

MAGSEAM 

We have achieved the perfection with our seamless wallings using the magnetic attachment of panels. Our original patented corner profile, with beautiful clean round design and the very new elements for tight vertical magnetic connection, make our products to be unique and leader of the market. Inserted helmet boxes, TV monitors or windows are fabricated with elegant seamless design effect as well. Variability of all of our components is very modular way how to install and combine all the single sets with each other to requested box positions.

There comes one very important point, namely that you can replace any spare part or component in an instant. When you are using composite honeycomb panels, there you have to follow to replace the whole panel, which is more than expensive and non-effective. Our solution is cost-effective, modular and very elegant.



MAGSEAM FULL SET

0100121101

- basic module max. 2030x990 mm / 79,92" x 38,97"
- 9,25 kg weight / 20,39 lb
- round corner module 75x75mm for out or in position
- 3 mm aluminum composite panel
- adjustable feet alignment for the floor
- standard white high glossy color

We can prepare CAD work of perfect working environment.



OPTIONS:

- flight case for all parts
- insert the TV monitors
- insert the boxes for drying helmets
- insert the boxes for accessories
- colors on request
- cut advertising
- print advertising



MAGSEAM WALLING CASE

01001211CU

Each single garage MAGSEAM project is carefully inserted into the flight case for safe transport. Flight case is equipped with unique system of the panel's protection, including the built-up frame, both avoiding any damage. You can insert inside of the flight case the helmet boxes and TV monitors as well.



We can design and manufacture bespoke products and solutions for your specific needs.

We can prepare the 3D layout of your project.

Contact us.

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

REFUELLING EQUIPMENT

place where time is everything



RF200 REFUELLING RIG

0150121001

Refuelling rig RF200 for a fast refuelling during endurance races, with a capacity of 200l / 52,83 gal according to the FIA AP. "J", 252-7 or FIA-WEC, with fuel restrictors, closing valves DEADMAN with a recurrent spring and airing system.

- FIA restrictor FIA 33 mm/1,29" (pn. 0150121001)
- FIA restrictor WEC 28 mm/1,10" (pn. 0150121022)
- FIA restrictor WEC-LMP3 33 mm /1,29" (pn. 0150121023)

REFUELLING ACCESSORIES



Complete offer of SAF refueling equipment. Contact us.



RF-38 ST PLUTONE

0150231005

Soft hose translucent, inner diameter 38mm/ 1,49", live cond, for standard FIA application

RF-75 ST VENTFLEX 75

0150231006

Soft hose translucent, out. diameter 70mm / 2,75", for STÄUBLI application



KNEE 45

0150231004

Knee adapter 45° – 1 1/2", elbow



KAMLOK RF-CF

0150231001

AL mat., DN40, MIL - C - 27487, quick coupling with thorn on hose for 38 mm refuelling hose



KAMLOK RF-CL

0150231002

AL material, DN40, MIL - C - 27487, fuel-door lock



KAMLOK RF-AI

0150231003

AL material, DN40 - 1 1/2", MIL - C - 27487, adapter



FIA / ACO RESTRICTOR 33

0150221004

FIA restrictor 33 mm / 1,29" (FIA Appendix J 258-4), other restrictor's size on the request

FIA-WEC RESTRICTOR 28

0150221005

FIA-WEC restrictor 28 mm / 1,10", other restrictor's size on the request



FIA DEADMAN VALVE

0150221007

FIA 1 1/2" self-closing valve



2" SINGLE HANDLE

0150221008

Refueling Handles provide a solution to easy handling of PP20M male refueling probes.



2" DUAL HANDLE

0150221009

Refueling Dual Handles provide a solution to easy handling of two PP20M males refueling probes.



PP20M 2" FIA MALE DRY

0150221020

2" PP20M type refueling male dry valve. The FIA Dry Break Couplings are approved to Appendix J, Drawing 252-5.



PP20FTM 2" FIA FEMALE DRY

0150221024

Female dry break valve 9 hole for valve male PP20M. The FIA Dry Break Couplings are approved to Appendix J, Drawing 252-5.



FUEL KAMLOCK PP20M

0150221022

AluminiumKamlok for PP20M valve connections.

HOSE CLAMP 38R

0150231017

Hose clamps and screws for hose 38 Plutone / Fuelflex, aluminium RACE serie.



HOSE CLAMP 57R

0150231018

Hose clamps and screws for hose 57 Nitrile, aluminium RACE serie.

HOSE CLAMP 75R

0150231019

Hose clamps and screw 75 Ventflex, 68-73mm, aluminium RACE serie.



WEIGHING CWU-300

0150221016

Refuelling weighing system for fuel rig RF200.

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

REFUELLING EQUIPMENT

place where time is everything

PIT TROLLEY ENDURANCE

0150311002

PIT TROLLEY ENDURANCE is all new conception with elegant solution in refuelling area, air distribution and complete distribution of tank hoses at PIT STOP area. Trolley has many of storage areas, including practical entry / rear doors to each sections.

- aluminum construction
- 2080x1080x1100mm (at. FIA reg.) / 81,88"x42,51"x43,30"
- holder for PAOLI RGPRSF 1,2,4 regulators (other on demand)
- standard white color RAL 9010




ROTARY SUBSIDIARY BOOM

0150311004

Special ROTARY SUBSIDIARY BOOM supporting air hose. 360° rotation. Suitable for racing type as WEC, ALMS, ELMC, FIA GT1, BLANCPAIN series...

- stainless steel
- 4000 mm / 157,48"
- 360° rotary air piping



PIT TROLLEY FIA

0150311001

Basic pit trolley for RF200 system, placing of the air pressure bottles and air pressure regulators. We provide various versions of design - positioning of RF200 and rotary boom longitudinal or transverse position toward to passage in the pit lane.

- flight case construction with strengthening floor steel frame
- 2250x1050x1190 mm / 78,74"x39,37"x41,33"
- 4 wheels
- holder for 3 cylinders (av. 233mm type)
- standard black color / colors on demand



RF200 REFUELLING RIG

00150121001

Refuelling rig RF200 for a fast refuelling during endurance races, with a capacity of 200L / 52,83 gal according to the FIA AP. "J", 252-7 or FIA-WEC, with fuel restrictors, closing valves DEADMAN with a recurrent spring and airing system.

- FIA restrictor FIA 33 mm / 1,29" (pn. 0150121001)
- FIA restrictor WEC 28 mm / 1,10" (pn. 0150121022)
- FIA restrictor WEC-LMP3 33 mm / 1,29" (pn. 0150121023)

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

REFUELLING EQUIPMENT

place where time is everything



REFUELLING BOTTLE STÄUBLI SAF

91025ROJKV

25l refuelling bottle Stäubli SAF / tilted bottle socket with SAF45. 1838/CX valve, 45° elbow. We also offer bottle holder, which is great to use at the same time as a transport trolley.

BOTTLE STAND ST25

0150121007

Refueling bottle stand for ST25 StäubliSAF refuelling bottle.



DUMPCAN SINGLE

0150221013

Draining of vent hose after refuelling, female receiver valve PP20M.



DUMPCAN STAUBLI

0150221014

Draining of vent hose after refuelling, female valve SAF (excl. STAUBLI receiver valve – option).



REFUELLING BOTTLE CL25

0150121004

25L refuelling bottle with valve SINGLE 2" type PP20M. We also offer bottle holder, which is great to use at the same time as a transport trolley.

BOTTLE STAND CL25

0150121006

Refueling bottle stand for CL25 refuelling bottle.



Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

PIT BOARD & PIT PERCHES

mission control



LED TIMING BOARD CL4

0080121001

LED TIMING BOARD CL8

0080121006

Electronic LED information panel, which is intended to show information's to the drivers, which are passing through the pit area. High intensity led lights, excellent visibility during high speed drive through, many effects, warning functions, text and image displaying. Simple software with the large number of language versions. Most widely used for endurance races as 24 Le Mans, WEC, VLN Series, 24SPA and many other race series.

- LED diodes – amber color / highlight, visible in direct sunlight (pn. 0080121001)
- LED diodes – 7 color + inv. color / highlight, visible in direct sunlight (pn. 0080121006)
- front antireflection Plexiglas
- very lightweight aluminum construction with protection IP67
- dimensions 1000x700x80 mm / 39,37"x27,55"x3,14"
- weight 17 kg / 37,47 lb
- FIA / WEC / IMSA regulation specification
- communication via ETHERNET RJ45 cable or BLUETOOTH II (100 m)
- automatic voltage regulator sensitive input 100 V or 230 V

ELECTRONIC SLIDING BOARD

0080121007

Universal sliding system can be used manually or with motorized option. Engine drive option is controlled with software CL4/BSW via bluetooth or cable RJ45 ETHERNET solution. We also supply optional flightcase which can be used as a holder for the system.



PIT PERCH FORMULA

0070131001

Stainless steel construction, textile roof and side walls with zipper system. It is extremely fast to set up into 10 minutes. One shelf inside provides support for laptops and monitors. The roof and side parts are fully partible and can be used up to three variants of using the side parts. PIT PERCH can be supplied as a basic module with a special bag or with platform and transport box FLIGHT CASE type, which includes required number of rotating CHAIRS with high back.

- width 2100 mm / 82,67"
- depth roof 1200 mm / 47,24"
- high 2200 mm / 86,61"
- weather protection / AATCC - 22 Spray test
- top quality zipper system
- basic color black

TV/LCD MONITOR CASE

0070111003

Transport and installation flight case for LCD/TV, which is designed for installation into the PIT PERCH, garage or VIP are for monitoring of results, camera systems and TV broadcasts.

- 9 mm plywood / 0,35" black plywood
- TV and electric main / splitter LED / DBV-T and hanging system are not included in price.



PIT PERCH ENDURANCE

0070131011

PIT PERCH ENDURANCE is designed for 3 engineers. Its design is very elegant, it will attract the attention to your team at the circuit. The basic structure is made of stainless steel tubes with easy connection system. The roof and side parts you can use as the single items, and use it as according to the actual climate conditions. Pit perch can be completely closed and protect you from the rain. Very fast installation due to zip-fasteners which are waterproof.

- width 2300 mm / 90,55"
- depth roof 1200 mm / 47,24"
- high 2200 mm / 86,61"
- weather protection / AATCC - 22 Spray test
- top quality zipper system
- basic color black

AIR EQUIPMENT

we speed your need



AIR JACK STANDART

0051041003

Standard air jack for formula and single seater cars. In order to adapt your special attachments for your vehicle.

- load capacity 500 kg / 1102,31 lb
- working pressure 6-10 bar / 87-145 psi



ENGINE - GEARBOX LEVER TROLLEY

0051041050

Standard, bigger version or model with customized top, specifically engineered for demand of customers.



CAR HOLDER

0170121001

Special Wheel Hub Stands, engineered to attach to the central wheel hub of the racing car.

DINO PAOLI

We offer complete air-equipment DINO PAOLI for Your team. Dino Paoli S.r.l. was established in 1968 as specialized makers of pneumatic impact wrenches and accessories.



Model:	DP6000	DP5000 TI MARK II	DP5000 BIAS	DP4000 MG	DP4000 30BAR	DP3000 SUPERSPORT	DP2000 SE
LH Version	006000.00004	5000TI.00004	3000SS.00001	4000MG.00001	400030.00001	3000SS.00001	2000SE.0001
RH Version:	006000.00005	5000TI.00005	3000SS.00002	4000MG.00002	400030.00002	3000SS.00002	2000SE.0002
UH Version	006000.00006	5000TI.00006	3000SS.00003	4000MG.00003	400030.00003	3000SS.00002	2000SE.0003
Square drive:	1"	1"	1"	1"	1"	1"	1"
Weight:	3,5 kg / 7,7 lbs	3,43 kg / 7,5 lbs	4 kg / 9,25 lbs	3,71 kg / 8,18 lbs	3,97 kg / 8,7 lbs	kg / 8,82 lbs	3,90 kg / 8,6 lbs
Free Speed:	14700 rpm	14500 rpm	11150 rpm	13500 rpm	15500 rpm	11500 rpm	9500 rpm
Max Pressure:	25 bar	25 bar	20 bar	20 bar	30 bar	20 bar	20 bar
Max Torque	4200 Nm	3800 Nm	3000 Nm	3500 Nm	3800 Nm	3000 Nm	2500 Nm
Use:	F1 / Indy	F1 / Indy / WEC	ENDURANCE WEC / GT3	ENDURANCE WEC / GT3	F1 / Indy / WEC	GP2 / DTM / GRAND AM	GP2 / IMSA ENDURANCE

LH and RH Version. Other guns DP197, DP177, DP176, BLUE DEVIL, DP36, TOPREDO please see to PAOLI or CASELINER website.

PAOLI SOCKETS and NUTS



The new Paoli sockets are an unprecedented product and the result of a long and complex engineering research. Consultation with hundreds of race clients has ensured that the Paoli Sockets' technological development goes hand in hand with the real needs of racing teams in terms of versatility, safety, materials and maintenance. We send you complete offer for your option.

Two different materials: titanium and aeronautical aluminium, the first suitable for the race application and the second suitable for non-intensive use and torque wrench.

Innovative safety system for inserting the pin into the through the socket/square drive. Revolutionary system when assembling the socket by using the spring clip and an 'O' ring on the cover. Maximum safety, a fine fitting and a considerably reduced assembly time.

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

AIR EQUIPMENT

we speed your need

PAOLI AIR PRESSURE REGULATORS

Main features: Paoli regulators have all been conceived to first guarantee the correct (very high) air flow to all the models of Paoli guns. Furthermore, all the Paoli regulators minimize the pressure drop from static to dynamic. We do deliver mostly piston regulators for high pressure and diaphragm regulators for lower pressures. We do always recommend to match a high flow oiler to each regulator and to ship them back to us for service.



F1 REGULATOR

B.40.0001

220 bar inlet, 0-100 bar out, 150Mn3/h, 30 bar over pressure valve setting, medium flow.

F2 REGULATOR

B.40.0002

Three-phase Electric, 25,5 kW, 7,5 HP, 300 bar, 300 l/min.



F4 REGULATOR

B.40.0005

220 bar inlet, 0-100 bar out, 400 Mn3/h, 50 bar over pressure valve setting, high flow.

We offer also 350 bar version. Please contact us.



HOSES 75 BAR

B.41.1001

Technical data - bore size: 13mm, braid od: 23,5mm, working pressure: 75 bar. Final ending - fitting on demand 3/8" or 1/2".



AIR BOTTLES COMPRESSOR DPH220

B.21.0102

Single-phase Electric, 2,2 kW, 3 HP, 300 bar, 100 l/min .



AIR BOTTLES COMPRESSOR DPH360

B.21.0101

Three-phase Electric, 25,5 kW, 7,5 HP, 300 bar, 300 l/min .



TURNING CONNECTORS

B.43.0001

DV11MFG38 and other variants



AIR BOTTLES COMPRESSOR DPH460

B.21.0103

Subaru Robin Petrol Engine, 4,6, 3 HP, 300 bar, 100 l/min .



MK/DP FLIGHT CASE COMPRESSOR

0050911001

Special flight case for compressor, 1000x450x600, 4 wheels

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

COUPLING

quick and speed connection



COUPLING CEJN



producer:	CEJN	CEJN	CEJN	CEJN	CEJN	CEJN	CEJN	CEJN
code:	104102155	104102154	103202155	103202154	104105155	104105154	103205155	103205154
type:	coupling	coupling	coupling	safety/coupling	plug	plug	plug	plug
standart:	410EU-10,4 mm	410EU-10,4 mm	320EU-7,6 mm	320EU-7,6 mm	410EU-10,4 mm	410EU-10,4 mm	320EU-7,6 mm	320EU-7,6 mm
thread:	R1/2"	R3/8"	R1/2"	R3/8"	R1/2"	R3/8"	R1/2"	R3/8"
type of thread:	male	male	male	male	male	male	male	male
L = lenght:	53 mm	53 mm	40 mm	47 mm	40 mm	40 mm	31 mm	28 mm
pressure:	16 bar	16 bar	16 bar	16 bar	16 bar	16 bar	16 bar	16 bar

Serie 320 - working pressure 16 bar, min. burst pressure 140 bar, flow capacity 2100l / min
Serie 410 - working pressure 16 bar, min. burst pressure 140 bar, flow capacity 3900l / min

COUPLING OETIKER / TSC



producer:	OETIKER	OETIKER	OETIKER	OETIKER	OETIKER	OETIKER	OETIKER	OETIKER	OETIKER
code:	20500107	20500106	20500353	20500352	20500351	25500075	25500074	25500025	25500024
type:	coupling	coupling	coupling	coupling	coupling	plug	plug	plug	plug
standart:	SC H / DN11	SC H / DN11	SC C / DN8	SC C / DN8	SC C / DN8	SC H / DN11	SC H / DN11	SC C / DN8	SC C / DN8
thread:	G1/2"	G3/8"	G1/2"	G3/8"	G1/4"	G1/2"	G3/8"	G1/2"	G3/8"
type of thread:	male	male	male	male	male	male	male	male	male
L = lenght:	70,3 mm	70,3 mm	58,5 mm	57,5 mm	57,5 mm	45 mm	45 mm	31 mm	31 mm
pressure:	25 bar	25 bar	25 bar	25 bar	25 bar	25 bar	25 bar	25 bar	25 bar

Serie DN8 - working pressure 25 bar, disconnection pressure 15 bar
Serie DN11 - working pressure 25 bar, disconnection pressure 15 bar

Visual material may not correspond to the text description, these are illustrative images, or product photos with accessories.

MECHANIC & VIP AREA

when you have time for break
and coffee

PIPE BARRIER

0130231001

Made from stainless steel and are dedicated for exclusive area mark off for the teams, backstage or VIP area. Advantage is flat full surface with possibility to use it for advertising or other graphic design elements.

- height 1100 mm / 3,60 ft
- length 1600 mm / 5,24 ft



BELT BARRIER

0032001CHR

Mechanism equipped with centrifugal belt-breaking system. Belt length is 2,3 m and it's available in colors black, grey, blue or red. Bags, printing and transport flight cases are optional.

- height 1000 mm / 39,37"
- belt length 2,3 m / 90,55"
- total weight approx. 12 kg / 26,45 lb

BELT BARRIER FLIGHT CASE BBFC

0130111001

Special protective and transport flight case for 12 PCs BELT BARRIERS CLASSIC.



RACELINER RL 3-3

0140131001

Frames of our tents are made from quality aluminum. Frames are assembled with screw-bolts, which enables a quick exchange of damaged parts. The module system enables connecting tents via connectors. Material can be imprinted. Canopies come in a wide range of dimensions. We offer also other dimension 6x3 or 4x8 m.



CATERING BASIC

0010311001

Mobile CATERING CASE BASIC is including shelves, sink with outlet water drain, plate, ice box. Optimal for smaller teams.

- 1200x700x1100 mm / 47,24"x27,55"x43,30"
- 3x drawers w. permanent files
- ice box - fridge 40l / 10,56 gal
- electric double hot-plate
- sink + water heater + waste



BEVERAGE CATERING

0010311005

Beverage box with a refrigerator for cooling of the drinks. The right side is space for supplies, glasses and other material.

- 1500x600x1080 mm
- doublesliding doors fridge



FLIGHT CASE TCH

0160131020

Special protective and transport flight case for 12 PCs BELT BARRIERS CLASSIC.



BAR FOLDING TABLE

0160131004


Folding bar high table, steel frame, quality composite PVC table desk.



VIP FOLDING CHAIR

0160131002

Folding chair, steel frame, seat quality PVC table desk.



VIP FOLDING TABLE

0160131003

Folding table, steel frame, quality composite PVC table desk.



REFERENCES

-- We help you win --

Australia

- Ash Seward Motorsport
- Audi Sport Customer Racing
- BMW team SRM
- Holden Racing
- Keltic Racing
- Maranello Motorsport
- Melbourne Performance
- Racer Industries
- Tekno Autosports
- Trofeo Motorsports
- Vicious Rumour Racing
- Wall Racing
- Walkinshaw Racing

Austria

- Grasser Racing
- HB Racing
- Jetalliance Racing
- Renauer Motorsport

- VPD Racing
- Yart Racing

Belgium

- Boutsen Ginion
- DVB Racing
- KRK
- KS Motorsport
- Marc VDS
- WRT

Brazil

- BMW Team Brasil

Canada

- Ferrari Toronto
- Remo Ferri Motorsport

Czech Republic

- ISR Racing
- IV Racing BMW
- Radical Czech

- RTR Projects
- Scuderia Prague

Denmark

- CarSale Motorsport
- KEO Racing
- MLS Racing


France

- ART Grand Prix
- Centre Porsche Lorient
- Extreme Limite
- G-Drive Racing
- Graff Racing
- Gulf Team First
- Hexis Racing
- Ibanez Racing Service
- IMSA Porsche
- Labre Competition
- Luxury Racing
- Nissan Signatech

- OAK Racing
- Peugeot Sport
- Renault Sport
- Saintéloc
- Sebastien Loeb Racing
- Team Effitic Carré Sport

Germany

- ALL-INKL.com
- Black Falcon
- BMW Motorsport
- CABT
- Dempsey Proton
- Hertrampf Racing
- HTP Motorsport
- HWA
- Jurgen Alzen Motorsport
- byKolles
- Lapidus Racing
- Manthey Racing
- Mamerow Racing
- Motopark Academy
- MS Racing
- Ohlins DTC
- Phoenix Racing
- Pirelli Detschland
- Porsche Motorsport
- Rinaldi Racing
- Roadrunner Racing
- Schubert Motorsport
- Spano Rennsport
- SPS Automotive
- TKL Motorsport
- Toyota Motorsport
- Uve Alzen Motorsport
- Volkswagen Motorsport
- Yaco Racing
- Zakspeed





Great Britain

- Barwell Motorsport
- Classic Team Lotus
- Don Law Racing
- Fortec Motorsport
- GT3 Racing
- Gulf Racing
- JR Motorsport
- Lister Storm
- Neil Garner
- Nissan GT Ac.
- Preci Spark
- Pyro Motorsport
- RLR Msport
- Scuderia Vittoria
- Sibsport Perform
- Spirit Automotive
- Splitlath
- Von Ryan Racing

Hungary

- B3 Racing
- Zengo

China

- KCMG
- Fist Auto
- AAI Motorsport

Italy

- De Lorenzi Racing
- Fisichella Motorsport
- JAS Motorsport
- Motorzone Race
- Prema Powersport

- Rinaldi Racing
- Roal Motorsport
- Sospiri Racing
- Squadra Corse

Japan

- Hitotsuyama Racing
- Ichikawa Shouten Autoparts
- Enable
- Sugizaki Transport

Lithuania

- UAB Proracing

Malaysia

- Mike Racing

Netherland

- Madeno Racing
- Musch Motorsport
- Rhesus Racing

New Zealand

- Motorsport Service

Poland

- Radical Polska

Portugal

- Algarve Pro Racing
- Blue Jemeirah Team
- Novadriver
- Rodrive - Competiqoes
- Veloso Motorsport

Russia

- GT Russian Team
- Lada Motorsport

South Africa

- CEF

South Korea

- Hannam Corp.

Spain

- Monlau Competition
- Team Kawasaki Provec

Sweeden

- EKS
- Fragus BR
- Flash Engineering
- Jan Brunstedt
- M.R.T Solutions AB
- Magic Racing
- Team Tido
- West Coats Racing

Swiss

- Emil Frey Racing
- Fach Auto Tech
- G2 Racing
- Garage Foitek
- Hope Racing
- Kessel Racing
- Morand Racing
- Novidem Swissracing
- Race Performance
- Rebellion Racing
- RGR by Morand
- TKR

UAE

- AUH Motorsports

USA

- AIM Autosport
- Alex Job Racing
- Anderson Racing
- Black Swan Racing
- BMW Team RLL
- Continental Tires
- Core Motorsport
- Corvette Racing
- Delta Wing
- Dragon Speed
- Dyson Racing
- Flying Lizard
- Global Motorsport
- Hissong Motorsport
- HP-Tech
- HSU Racing
- Insight Racing
- Jeffrey Segal
- Level 5 Motorsport
- Michael Shank
- Muehlner Motorsport
- Muscle Milk Pickett
- O'Gara Motorsports
- Riley Technology
- SpeedSource
- SRT Motorsport
- Turner Motorsport
- United Autosport
- Wright Motorsport




CASELINER RXC 2.0

Our special Caseliner division of sport equipment will deliver to you the top MTB bicycle. You can feel our racing passion from every detail and component. Hi-tec 29" carbon frame, equipment by Ritchey, including the racing components Shimano XT with advanced 1x drivetrain and 11/46 cassette. We are ready to supply total custom painting according to your racing team design.



FRAME	29" Toray Carbon Monocoque, 12x142mm Aluminium Thru Axle	DISC	Shimano XT Disc Rotor SM-RT86S, 160mm
FORK	FOX Factory Series 32 Float 29, 100 FIT Terralogic, 15QRx100mm Axle	SHIFTERS	Shimano XT SL-M8000 I-Spec II
HANDLEBAR	Ritchey WCS Flat 2X 31.8 MTB Handlebar 9°	REAR DERAILLEUR	Shimano XT RD-M8000 SGS 11r
STEM	Ritchey WCS C260 84D Stem 31.8	CASSETTE	Shimano XT M8000 11 Speed, 11-46t
GRIPS	ESI Chunky, 100% Silicone Shock	BOTTOM BRACKET	Shimano XT, BB-MT800B, BSA
SEATPOST	Ritchey WCS Alloy 1-Bolt Seatpost 31.6mm	CHAINRING	Shimano XT FC-M8000, SM-CRM80, 32z, 1x11-speed
SADDLE	Ritchey WCS Stream	CHAIN	Shimano CN-HG700 11r
SEAT CLAMP	ControlTech Settle	WHEELS / TIRES	Mavic Crossride Light 29er MTB Boost 2.25" WTS
BRAKES	Shimano XT BR-M8000		



CASELINER[®]
MOTORSPORT PIT EQUIPMENT

CASELINER s.r.o.

Nad Jezerem 568
252 42 Vestec
Czech Republic

Cell: **+420 724 728 478**
Phone: **+420 244 463 151**
E-mail: **info@caseliner.eu**
Web: **www.caseliner.eu**



Your distributor



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness

www.caseliner.eu